

The Scott County Fiscal Court (Fire Department) will be accepting bids for 8 commercial bay doors at different fire department locations. Copies of bid specifications can be obtained at [scottky.gov](http://scottky.gov) or 2200 Cincinnati Road, Georgetown, KY 40324. Sealed, labeled bids can be mailed or hand-delivered to the office of County Judge/Executive, 101 East Main Street #210, Georgetown, KY 40324. The deadline is October 24, 2023 at 2:00PM. Scott County Fiscal Court has the right to reject any and all bids and waive informalities.

The door specifications are listed below. Bid must include doors and all hardware listed, installation, and removal and disposal of all the old doors being replaced.

8 Clopay ex3200 series door with 3 solid panel and 4 full glass panels.

4- 12'2"x14'3" sectional door

4- 14'1"x14'3" sectional door

2" thick insulated 9 R-value or greater 24 gauge still panel with tempered glass panel

High performance springs

3" vertical high-performance track with heavy duty rollers

8 direct drive motors with programable option safety features. 115 volt/ 1.25 HP or greater opener with 20 inch per second opening or greater and 12 inch per second closing or greater. With 3 button wall mount controls with manual chain operation feature

Safety light curtain, 3' or 4' height, on door track

16 heavy duty 2 button remotes